

### SOLID WOOD WORKTOP MOUSSE

Page: 1

Compilation date: 17/03/2015

Revision No: 1

## Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: SOLID WOOD WORKTOP MOUSSE

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

### 1.3. Details of the supplier of the safety data sheet

Company name: UNIKA COLOR PRODUCTS LTD.

NEW YORK WAY NEWCASTLE UPON TYNE NE27 0QF

Tel: +44 (0) 191 259 0033

Fax: +44 (0) 191 257 4525

Email: technical@unika.co.uk

#### 1.4. Telephone number

**tel:** +44 (0) 191 259 0033

(office hours only)

#### Section 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification under CLP: -: EUH208; -: H229

Classification under CHIP: This product has no classification under CHIP.

## 2.2. Label elements

Label elements under CLP:

Hazard statements: EUH208: Contains 2-butanone oxime, cozirc driers. May produce an allergic reaction.

H229: Pressurised container: May burst if heated

Precautionary statements: P102: Keep out of reach of children.

P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P211: Do not spray on an open flame or other ignition source.
P251: Pressurized container: Do not pierce or burn, even after use.

P410+412: Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

#### Label elements under CHIP:

Hazard symbols: No significant hazard.

Safety phrases: S2: Keep out of the reach of children.



### SOLID WOOD WORKTOP MOUSSE

Page: 2

S23: Do not breathe spray.

S24/25: Avoid contact with skin and eyes. S51: Use only in well-ventilated areas.

Precautionary phrases: Contains cozirc driers, 2-butanone oxime. May produce an allergic reaction.

Pressurized container: protect from sunlight and do not expose to temperatures

exceeding 50°C. Do not pierce or burn, even after use.

#### 2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

#### Section 3: Composition/information on ingredients

#### 3.2. Mixtures

### Non-classified ingredients:

### 1,1,1,2-TETRAFLUOROETHANE (HFC 134A)

FINITOC	CAC	CLUD Classification	CLD Classification	Davaset
EINECS	CAS	CHIP Classification	CLP Classification	Percent
212-377-0	000811-97-2	-	Press. Gas: H280	30-50%
COZIRC DRIERS				
-	-	Sens.: R42/43; Xn: R65; Xn: R68	-	0.1-1%
2-BUTANONE OXIME				
202-496-6	96-29-7	Xn: R21; Xn: R40; Xi: R41; Sens.:	Carc. 2: H351; Acute Tox. 4: H312; Eye	0.1-1%
		R43	Dam. 1: H318; Skin Sens. 1: H317	

### Section 4: First aid measures

## 4.1. Description of first aid measures

**Skin contact:** Wash immediately with plenty of soap and water. **Eye contact:** Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water.

Inhalation: Consult a doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness. **Ingestion:** There may be irritation of the throat.

Inhalation: No symptoms.

Delayed / immediate effects: No data available.

# 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.



### SOLID WOOD WORKTOP MOUSSE

Page: 3

### Section 5: Fire-fighting measures

#### 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: Not applicable.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

#### Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-

side up to prevent the escape of liquid.

#### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

#### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

## 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

## 7.3. Specific end use(s)

Specific end use(s): No data available.

### Section 8: Exposure controls/personal protection

#### 8.1. Control parameters

Workplace exposure limits: No data available.



### SOLID WOOD WORKTOP MOUSSE

Page: 4

#### **DNEL/PNEC Values**

**DNEL / PNEC** No data available.

#### 8.2. Exposure controls

Engineering measures: Not applicable.

**Respiratory protection:** Respiratory protection not required.

Hand protection: Protective gloves. Chemically resistant gloves.Eye protection: Safety glasses. Ensure eye bath is to hand.

**Skin protection:** Protective clothing. **Environmental:** Not applicable.

### Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

State: Aerosol

Colour: Off-white

Odour: Perceptible odour

Flash point°C: 250

### 9.2. Other information

Other information: No data available.

# Section 10: Stability and reactivity

#### 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

# 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

# 10.4. Conditions to avoid

Conditions to avoid: Heat.

## 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

#### 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

### **Section 11: Toxicological information**



### SOLID WOOD WORKTOP MOUSSE

Page: 5

#### 11.1. Information on toxicological effects

Toxicity values: No data available.

### Symptoms / routes of exposure

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness. **Ingestion:** There may be irritation of the throat.

Inhalation: No symptoms.

Delayed / immediate effects: No data available.

Other information: Not applicable.

## Section 12: Ecological information

#### 12.1. Toxicity

Ecotoxicity values: No data available.

### 12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

#### 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

# 12.4. Mobility in soil

Mobility: Readily absorbed into soil.

### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

#### 12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

#### Section 13: Disposal considerations

#### 13.1. Waste treatment methods

**Disposal operations:** Dispose of contents and container according to national regulations.

**Recovery operations:** Not applicable. **Disposal of packaging:** Not applicable.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

## **Section 14: Transport information**

#### 14.1. UN number

UN number: UN1950



#### SOLID WOOD WORKTOP MOUSSE

Page: 6

## 14.2. UN proper shipping name

Shipping name: AEROSOLS

### 14.3. Transport hazard class(es)

Transport class: 2

### 14.4. Packing group

#### 14.5. Environmental hazards

Environmentally hazardous: No Marine pollutant: No

### 14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E
Transport category: 3

### **Section 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

### 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

#### **Section 16: Other information**

### Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010.

Phrases used in s.2 and s.3: EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.

H229: Pressurised container: May burst if heated

H280: Contains gas under pressure; may explode if heated.

H312: Harmful in contact with skin.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H351: Suspected of causing cancer <state route of exposure if it is conclusively proven

that no other routes of exposure cause the hazard>.

R21: Harmful in contact with skin.

R40: Limited evidence of a carcinogenic effect.

R41: Risk of serious damage to eyes.

R42/43: May cause sensitisation by inhalation and skin contact.

R43: May cause sensitisation by skin contact.

R65: Harmful: may cause lung damage if swallowed.

R68: Possible risk of irreversible effects.

## SOLID WOOD WORKTOP MOUSSE

Page: 7

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.